

# Package: siconvr (via r-universe)

October 12, 2024

**Title** Fetch Data from Plataforma +Brasil (SICONV)

**Version** 0.0.2.900

**Description** Fetch data on targeted public investments from Plataforma +Brasil (SICONV) <<http://plataformamaisbrasil.gov.br/>>, the responsible system for requests, execution, and monitoring of federal discretionary transfers in Brazil.

**License** GPL (>= 3)

**Encoding** UTF-8

**URL** <https://github.com/meirelesff/siconvr>,  
<https://fmeireles.com/siconvr/>

**BugReports** <https://github.com/meirelesff/siconvr/issues>

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.1.1

**Imports** data.table, httr, tibble, cli

**Suggests** testthat (>= 3.0.0), covr

**Config/testthat/edition** 3

**Repository** <https://meirelesff.r-universe.dev>

**RemoteUrl** <https://github.com/meirelesff/siconvr>

**RemoteRef** HEAD

**RemoteSha** 33fe88e85d960dfe43165a4e393849ff776b182e

## Contents

get_siconv . . . . .	2
show_schema . . . . .	3

<b>Index</b>	<b>5</b>
--------------	----------

---

 get\_siconv

*Fetch cleaned data from Plataforma +Brasil*


---

## Description

get\_siconv() is the package's workhorse. It downloads, cleans, and returns one of the several datasets maintained by Plataforma +Brasil on federal targeted transfers in Brazil. Under the hood, the function handles GET requests, downloads and stores intermediary files, and reads as fast as possible the data to a tibble format convenient for use in analysis.

## Usage

```
get_siconv(dataset = NULL, encoding = "UTF-8", cache = TRUE, verbose = TRUE)
```

## Arguments

dataset	<p>A string indicating the dataset to retrieve. Valid options:</p> <ul style="list-style-type: none"> <li>• "programas" – data on available programs maintained by the Federal Government;</li> <li>• "programas_propostas" – keys to match programs and proposals submitted to the Federal Government;</li> <li>• "propostas" – data on proposals submitted to the Federal Government;</li> <li>• "convenios" – data on proposals effectively accepted situation and amount transferred by the Federal Government;</li> <li>• "pagamento" – data on payments to local providers;</li> <li>• "emendas" – data on federal budget amendments made by Brazilian Federal Deputies and Senators, amount transferred and the transference recipient;</li> <li>• "planos" – data on application plans submitted to the Federal Government. This document includes all goods, services and works required by the covenant to accomplish the project;</li> <li>• "empenhos" – data on transfers which the Federal Government has reserved its budget to pay the covenant when the project ends;</li> <li>• "desembolsos" – data on transfers disbursements by the Federal Government;</li> <li>• "obtv" – data on payments made to local suppliers and contractors hired to execute funded projects;</li> <li>• "historico" – proposals' track record;</li> <li>• "ingresso_contrapartida" – record of counterpart payments;</li> <li>• "aditivos" – data on contracts' budget addendum;</li> <li>• "crono_metas" – project's goals timeline;</li> <li>• "cronogramas" – project's execution timeline;</li> <li>• "consorcios" – data on proposals where multiple local governments or private entities cooperate to request federal resources;</li> </ul>
---------	---

- "empenhos\_desembolsos" – keys to match appropriations and disbursements by Federal Government;
- "proponentes" – data on proposals' proponents;
- "cronograma\_desembolsos" – project's transfers disbursements timeline;
- "justificativas" – proposals' justifications;

When not specified, dataset defaults to "programas".

encoding	Encoding used to read raw files. Defaults to "UTF-8", but users might need to change this option to other valid options (e.g., "latin1") if data are returned with uncommon characters.
cache	Should the function maintain a local copy of the data? To save both time and SICONV's server resources, this defaults to TRUE. Data is stored as a zipfile in the folder "cache" in the working directory (avoid changing files' names inside this folder).
verbose	Should the function display messages and progress bar? Defaults to TRUE.

### Value

A [tibble](#) containing the requested data as defined in the dataset argument. Use the [show\\_schema](#) function to get detailed information on available variables and information.

### Note

`get_siconv()` needs an internet connection to download data in case it does not find a cache folder with raw data from a previous request. Be aware that instability in the Plataforma +Brasil server might produce error messages, in which case users should try waiting before rerunning their requests.

### Examples

```
## Not run: df <- get_siconv(dataset = "propostas")
```

---

show\_schema

*Access Plataforma +Brasil's documentation*

---

### Description

`show_schema()` downloads, unzips, and show in a web browser Plataforma +Brasil's full database documentation, including its schema and other useful information. Docs are downloaded to a folder in the working directory.

### Usage

```
show_schema(verbose = TRUE, browser = TRUE)
```

**Arguments**

verbose	Should the function display messages and progress bar? Defaults to TRUE.
browser	Should the function open a web browser to display the docs? Defaults to TRUE.

**Value**

show\_schema() is most usefull for its side effect of downloading, when needed, and opening Plataforma +Brasil's documentation, but is also silently returns a string containing the path to the docs' index file.

**Note**

show\_schema() needs an internet connection to download data in case it does not found a cache folder with the docs from a previous request. Be aware that instability in the Plataforma +Brasil server might produce error messagens, in which case users should try waiting before rerunning the function.

**Examples**

```
## Not run: show_schema()
```

# Index

`get_siconv`, 2

`show_schema`, 3, 3

`tibble`, 3